



#### This MotoCAP safety rating applies to:

Brand Richa
Model Airstrike 2
Type Jacket - Textile
Date purchased 4 August 2020
Sizes tested 2XL and 2XL


Test garment gender Male
Style All Purpose
RRP \$279.00

| Test Results Summary         | Rating | Score |
|------------------------------|--------|-------|
| MotoCAP Protection Rating    | *      | 26.7  |
| Abrasion                     | 1/10   | 0.36  |
| Burst                        | 10/10  | 1343  |
| Impact                       | 5/10   | 38.3  |
| MotoCAP Breathability Rating | ***    | 0.503 |
| Moisture Vapour Resistance   | -      | 26.7  |
| Thermal Resistance           | -      | 0.224 |
| Water resistance             | N/A    | N/A   |

This garment is fitted with impact protectors for the elbows and shoulders. A pocket is provided for an aftermarket back protector. Mesh panels are located in the arms, chest and back to allow airflow movement through the garment.

#### **Jacket and Pants - Crash Impact Risk Zones**

This diagram is a pictorial representation of the crash impact risk Zones.





#### **Abrasion Resistance**

The jacket was tested for abrasion resistance in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely abrasion performance of the materials in each zone calculated from the data in the table below. The colour coding is based on the worst performing material in each zone.



#### **Abrasion Resistance Performance**

| Abrasion rating | 1/10 |
|-----------------|------|
| Abrasion score  | 0.36 |

| <b>Determining Criteria</b> | Area       | Good  | Acceptable | Marginal  | Poor  |
|-----------------------------|------------|-------|------------|-----------|-------|
| High abrasion risk          | Zone 1 & 2 | > 5.6 | 3.0 - 5.6  | 1.3 - 2.9 | < 1.3 |
| Medium abrasion risk        | Zone 3     | > 2.5 | 1.8 - 2.5  | 0.8 - 1.7 | < 0.8 |
| Low abrasion risk           | Zone 4     | >1.5  | 1.0 - 1.5  | 0.4 - 0.9 | < 0.4 |

**Individual Abrasion Resistance Results:** - The table below shows the test results for time to abrade through all layers of the materials. Calculated for each sample by Zone, type and area coverage of each material as a proportion of that Zone. Abrasion times are capped at a maximum of 10.00s.

#### Abrasion time for each test (seconds)

| Abrasion time | ioi eacii test (sec | onusj    |          |          |          |          |          |         |   |
|---------------|---------------------|----------|----------|----------|----------|----------|----------|---------|---|
| Zone 1 & 2    | Coverage (%)        | Sample 1 | Sample 2 | Sample 3 | Sample 4 | Sample 5 | Sample 6 | Average |   |
| Material A    | 100%                | 0.51     | 0.41     | 0.45     | 0.48     | 0.47     | 0.41     | 0.45    | Р |
| Zone 3        | Coverage (%)        | Sample 1 | Sample 2 | Sample 3 | Sample 4 | Sample 5 | Sample 6 | Average |   |
| Material A    | 15%                 | 0.51     | 0.41     | 0.45     | 0.48     | 0.47     | 0.41     | 0.45    | Р |
| Material B    | 85%                 | 0.15     | 0.16     | 0.15     | 0.18     | 0.13     | 0.14     | 0.15    | Р |
| Zone 4        | Coverage (%)        | Sample 1 | Sample 2 | Sample 3 | Sample 4 | Sample 5 | Sample 6 | Average |   |
| Material A    | 40%                 | 0.51     | 0.41     | 0.45     | 0.48     | 0.47     | 0.41     | 0.45    | М |
| Material B    | 60%                 | 0.15     | 0.16     | 0.15     | 0.18     | 0.13     | 0.14     | 0.15    | Р |
|               |                     |          |          |          |          |          |          |         |   |

## Details of materials used in jacket

| Material A | Woven fabric shell with mesh inner liner |
|------------|--|
| Material B | Mesh fabric shell with mesh inner liner  |



# **Burst Strength**

The jacket was tested for burst strength in accordance with MotoCAP test protocols. The diagram below illustrates the burst strength results in terms of the likely performance of the garment in an impact and is a pictorial representation of the data from the table below.



## **Burst Strength Performance**

| Burst rating | 10/10 |
|--------------|-------|
| Burst score  | 1343  |

| <b>Determining Criteria</b> | Unit  | Good   | Acceptable | Marginal  | Poor  |
|-----------------------------|-------|--------|------------|-----------|-------|
| Burst strength              | (kPa) | > 1000 | 800 - 1000 | 500 - 799 | < 500 |

**Individual Burst Strength Results:** - The table below shows the burst pressure in kilopascals (kPA) for each sample tested by Zone and the average result for each zone.

## Burst pressure for each seam (kPA)

| Area        | Sample 1 | Sample 2 | Sample 3 | Sample 4 | Sample 5 | Sample 6 | Average |   |
|-------------|----------|----------|----------|----------|----------|----------|---------|---|
| Zones 1 & 2 | 1292     | 1301     | 1468     | 1518     | 1137     | 1735     | 1409    | G |
| Zones 3 & 4 | 1388     | 554      | 867      | 1020     | 1097     | 1557     | 1080    | G |



#### **Impact Protection**

The jacket was tested for impact protection and coverage in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely performance of each impact protector calculated from the data in the table below. The colour coding is based on the worst performing score for average or maximium force for each impact zone. Areas shaded black are not considered for impact protection ratings.



Impact Protection Performance
Impact rating 5/10
Impact score 38.3

| <b>Determining Criteria</b> | Unit | Good | Acceptable | Marginal | Poor* |
|-----------------------------|------|------|------------|----------|-------|
| Impact force                | (kN) | < 15 | 15 - 24    | 25 - 30  | > 30  |

<sup>\*</sup> Poor may also indicate that no impact protector, or impact protector pocket is present in the garment

**Individual Impact Protector Results:** - The table below shows the test results for each strike on each impact protector in kilonewtons (kN) and their area of coverage as a proportion (%) of the Zone. Individual strike results are capped at a maximum of 50kN.

| Impact protector type               | Elbow |          | Shoulder |
|-------------------------------------|-------|----------|----------|
| Average force (kN)                  | 17.0  | A        | 17.4 A   |
| Maximum force (kN)                  | 20.3  | A        | 18.6 A   |
| Coverage of Zone 1 area             | 85%   | <u> </u> | 105%     |
| Coverage of Zone after displacement | 50%   |          | 90%      |

**Individual Impact Protector Results:** - The table below shows the test results for each strike on individual impact protectors in kilonewtons (kN) and the position of the strike. Individual strike results are capped at a maximum of 50kN.

# Force transfer for each impact strike (kN)

| Impact protector type | Elbow  |      |      | Shoulder |      |      |
|-----------------------|--------|------|------|----------|------|------|
| Strike location       | Centre | Mid  | Edge | Centre   | Mid  | Edge |
| Impact Protector 1    | 16.4   | 20.3 | 17.1 | 16.7     | 16.7 | 18.6 |
| Impact Protector 2    | 17.1   | 15.2 | 15.1 | 18.5     | 17.5 | 17.8 |
| Impact Protector 3    | 16.5   | 16.2 | 18.8 | 16.5     | 16.8 | 18.0 |



## **Breathability**

The jacket was tested for breathability following the MotoCAP test protocols. The table below shows the moisture vapour resistance and the thermal resistance values obtained.

| Without removable li      | ners                               | With water-resistant liner |       |         |  |  |
|---------------------------|------------------------------------|----------------------------|-------|---------|--|--|
| Breathability rating      | ***                                | Breat                      | N/A   |         |  |  |
| Breathability score       | 0.503                              | Breathability score        |       | N/A     |  |  |
| Moisture Vapour Resis     | tance - R <sub>et</sub> (kPa.m²/W) | 1                          | 2     | Average |  |  |
| Without removable liners  | 3                                  | 27.7                       | 25.8  | 26.7    |  |  |
| With water-resistant line | r                                  | N/A                        | N/A   | N/A     |  |  |
| Thermal Resistance - F    | R <sub>ct</sub> (K.m²/W)           | 1                          | 2     | Average |  |  |
| Without removable liners  | 3                                  | 0.226                      | 0.222 | 0.224   |  |  |
| With water-resistant line | r                                  | N/A                        | N/A   | N/A     |  |  |

## Water spray and rain resistance

This jacket has not been advertised as water-resistant so has not been tested for water spray and rain resistance.

## **Assessment Details.**

Brand Richa
Model Airstrike 2
Type Jacket - Textile
Date purchased 4 August 2020

Tested by AMCAF, Deakin University

Garment test reference J19T58
Rating first published January 2021
Rating updated 5 January 2021