



# This MotoCAP safety rating applies to:

Brand Merlin
Model Perton Wax
Type Jacket - Textile
Date purchased 22 November 2023


Sizes tested L and XL
Test garment gender Male
Style All Purpose
RRP \$529.95

Test Results Summary	Rating	Score
MotoCAP Protection Rating	**	33.6
Abrasion	1/10	1.19
Burst	10/10	1386
Impact	6/10	46.1
MotoCAP Breathability Rating	+	0.107
Moisture Vapour Resistance	-	159.4
Thermal Resistance	-	0.286
Water resistance	3/10	18.7

This garment is fitted with impact protectors for the elbows and shoulders. A pocket is provided for an aftermarket back protector. There are zipped vents in the chest and back to allow controlled airflow movement through the garment. The breathability rating is based on tests of the garment's materials when all vents are closed. The breathability of this product may be better when the vents can be opened. Breathability was measured without the removable thermal liner installed. There is the potential for burns from heat transferred through the metal snap fasteners at the wrist of the jacket during a slide.

## **Jacket and Pants - Crash Impact Risk Zones**

This diagram is a pictorial representation of the crash impact risk Zones.





#### **Abrasion Resistance**

The jacket was tested for abrasion resistance in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely abrasion performance of the materials in each zone calculated from the data in the table below. The colour coding is based on the worst performing material in each zone.



## **Abrasion Resistance Performance**

Abrasion rating	1/10
Abrasion score	1.19

<b>Determining Criteria</b>	Area	Good	Acceptable	Marginal	Poor
High abrasion risk	Zone 1 & 2	> 5.6	3.0 - 5.6	1.3 - 2.9	< 1.3
Medium abrasion risk	Zone 3	> 2.5	1.8 - 2.5	0.8 - 1.7	< 0.8
Low abrasion risk	Zone 4	>1.5	1.0 - 1.5	0.4 - 0.9	< 0.4

**Individual Abrasion Resistance Results:** - The table below shows the test results for time to abrade through all layers of the materials. Calculated for each sample by Zone, type and area coverage of each material as a proportion of that Zone. Abrasion times are capped at a maximum of 10.00s.

# Abrasion time for each test (seconds)

	N. Control of the Con	,							
Zone 1 & 2	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Material A	65%	10.00	5.72	3.18	7.93	10.00	2.73	6.59	G
Material B	35%	1.35	0.87	0.63	0.75	0.49	0.46	0.76	Р
Zone 3	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average -	_
Material A	10%	10.00	5.72	3.18	7.93	10.00	2.73	6.59	G
Material B	90%	1.35	0.87	0.63	0.75	0.49	0.46	0.76	Р
Zone 4	Coverage (%)	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average -	
Material B	100%	1.35	0.87	0.63	0.75	0.49	0.46	0.76	М
								-	

## Details of materials used in jacket

Material A	Quited woven fabric shell, water-resistant layer and fabric inner liner
Material B	Woven fabric shell, water-resistant layer and fabric inner liner



# **Burst Strength**

The jacket was tested for burst strength in accordance with MotoCAP test protocols. The diagram below illustrates the burst strength results in terms of the likely performance of the garment in an impact and is a pictorial representation of the data from the table below.



Bu	rst :	Strer	gth Performance
_			10/10

Burst rating	10/10
Burst score	1386

<b>Determining Criteria</b>	Unit	Good	Acceptable	Marginal	Poor
Burst strength	(kPa)	> 1000	800 - 1000	500 - 799	< 500

**Individual Burst Strength Results:** - The table below shows the burst pressure in kilopascals (kPA) for each sample tested by Zone and the average result for each zone.

# Burst pressure for each seam (kPA)

Area	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	Average	
Zones 1 & 2	1209	1724	1495	1460	1102	1839	1471	G
Zones 3 & 4	1337	1277	1127	1074	858	604	1046	G



#### **Impact Protection**

The jacket was tested for impact protection and coverage in accordance with MotoCAP test protocols. The diagram below is a visual indication of the likely performance of each impact protector calculated from the data in the table below. The colour coding is based on the worst performing score for average or maximum force for each impact zone. Areas shaded black are not considered for impact protection ratings.



# Impact Protection Performance

Impact rating	6/10	
Impact score	46.1	

<b>Determining Criteria</b>	Unit	Good	Acceptable	Marginal	Poor*
Impact force	(kN)	< 15	15 - 24	25 - 30	> 30

<sup>\*</sup> Poor may also indicate that no impact protector, or impact protector pocket is present in the garment

**Individual Impact Protector Results:** - The table below shows the test results for each strike on each impact protector in kilonewtons (kN) and their area of coverage as a proportion (%) of the Zone. Individual strike results are capped at a maximum of 50kN.

Impact protector type	Elbow		Shoulder
Average force (kN)	17.4	A	19.8 A
Maximum force (kN)	19.3	A	22.4 A
Coverage of Zone 1 area	115%	<del></del>	105%
Coverage of Zone after displacement	80%		100%

**Individual Impact Protector Results:** - The table below shows the test results for each strike on individual impact protectors in kilonewtons (kN) and the position of the strike. Individual strike results are capped at a maximum of 50kN.

# Force transfer for each impact strike (kN)

Impact protector type	Elbow			Shoulder		
Strike location	Centre	Mid	Edge	Centre	Mid	Edge
Impact Protector 1	15.2	17.9	18.7	19.0	20.1	22.4
Impact Protector 2	15.6	16.7	19.3	18.3	19.2	21.2
Impact Protector 3	16.9	17.8	18.3	18.1	19.3	20.3



# **Breathability**

The jacket was tested for breathability following the MotoCAP test protocols. The table below shows the moisture vapour resistance and the thermal resistance values obtained.

Without removable li	With water-resistant liner			
Breathability rating	7	Breat	hability rating	N/A
Breathability score	0.107	Breat	hability score	N/A
Moisture Vapour Resis	tance - R <sub>et</sub> (kPa.m²/W)	1	2	Average
Without removable liners	3	161.4	157.4	159.4
With water-resistant line	r	N/A	N/A	N/A
Thermal Resistance - F	R <sub>ct</sub> (K.m²/W)	1	2	Average
Without removable liners	3	0.267	0.304	0.286
With water-resistant line	r	N/A	N/A	N/A

# Water spray and rain resistance

This jacket is advertised as water-resistant, and so has been tested for water spray and rain resistance according to the MotoCAP test protocols. The table below shows the water absorbed (ml) and the wetting proportion (%) of the garment and undergarments due to water absorption.

	Water absorbe	ed by garment	Water absorbed by underwear		
	Volume (ml) Percentage (%)		Volume (ml)	Percentage (%)	
Jacket 1	449	26%	39	14%	
Jacket 2	370	21%	65	24%	
Average	409	24%	52	19%	

## **Location of wetting**

There was major wetting to the cotton underwear present at the neck and chest for both jackets tested.

# **Assessment Details.**

Page 5 of 5

Brand Merlin

Model Perton Wax

Type Jacket - Textile

Date purchased 22 November 2023

Tested by AMCAF, Deakin University

Report approved by MotoCAP Chief Scientist

Garment test reference J24T11

Rating first published

Rating updated

January 2024

23 October 2024

motocap.com.au